

Material Safety Data Sheet

Date Printed: 02/AUG/2007
Date Updated: 03/APR/2006
Version 1.3
Regulation (EC) No 1907/2006

1 - Product and Company Information

Product Name ZINC ACETATE, 99.99% METALS BASIS
Product Number 383317

Company Sigma-Aldrich Pte Ltd
#02-14 The Capricorn, Sci. Park II
Singapore 117528
Singapore
Technical Phone # (65) 6779 1200
Fax (65) 6779 1822

2 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT
Harmful if swallowed. Irritating to eyes. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I Index Number
ZINC ACETATE	557-34-6	209-170-2	None

Formula (C₂H₃O₂)₂Zn
Molecular Weight 183.46 AMU
Synonyms Acetic acid, zinc salt (8CI,9CI) *
Dicarbomethoxyzinc * Siltex CL 4 * Zinc(II)
acetate * Zinc diacetate

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious amounts of water.

AFTER EYE CONTACT

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep tightly closed.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator.

Hand Protection: Compatible chemical-resistant gloves.

Eye Protection: Chemical safety goggles.

9 - Physical and Chemical Properties

Appearance

Physical State: Solid

Property

Value

At Temperature or Pressure

pH

N/A

BP/BP Range

N/A

MP/MP Range

N/A

Flash Point

N/A

Flammability

N/A

Autoignition Temp

N/A

Oxidizing Properties

N/A

Explosive Properties

N/A

Explosion Limits	N/A
Vapor Pressure	N/A
SG/Density	1.84 g/cm ³
Partition Coefficient	N/A
Viscosity	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
Evaporation Rate	N/A
Bulk Density	N/A
Decomposition Temp.	N/A
Solvent Content	N/A
Water Content	N/A
Surface Tension	N/A
Conductivity	N/A
Miscellaneous Data	N/A
Solubility	N/A

10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Zinc/zinc oxides.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 - Toxicological Information

RTECS NUMBER: AK1500000

ACUTE TOXICITY

LD50

Oral

Rat

794 mg/kg

REFERRED TO THE DIHYDRATE

LD50

Oral

Mouse

287 mg/kg

REFERRED TO THE DIHYDRATE

LD50

Oral

Rat

2510 mg/kg

LD50

Intraperitoneal

Mouse

57 MG/KG

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.
Eye Contact: Causes eye irritation.
Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.
Ingestion: Harmful if swallowed.

CHRONIC EXPOSURE - MUTAGEN

Mouse
24 UG/PLATE (+S9)
Cell Type: lymphocyte
Mutation in microorganisms

Hamster
45 MG/L
Cell Type: ovary
Cytogenetic analysis

Mouse
10 MG/L
Cell Type: lymphocyte
Mutation in mammalian somatic cells.

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Species: Rat
Dose: 80 MG/KG
Route of Application: Subcutaneous
Exposure Time: (1D MALE)
Result: Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count).

Species: Rabbit
Dose: 10525 UG/KG
Route of Application: Intravaginal
Exposure Time: (1D PRE)
Result: Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated).

12 - Ecological Information

ECOTOXICOLOGICAL EFFECTS

Test Type: LC50 Fish
Species: Pimephales promelas (Fathead minnow)
Time: 96 h
Value: 0.88 mg/l

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14 - Transport Information

RID/ADR
UN#: 3077

Class: 9
PG: III
Proper Shipping Name: Environmentally hazardous
substance, solid, n.o.s

IMDG

UN#: 3077
Class: 9
PG: III
Proper Shipping Name: Environmentally hazardous
substance, solid, n.o.s
Marine Pollutant: No
Severe Marine Pollutant: No
Technical Name: Required

IATA

UN#: 3077
Class: 9
PG: III
Proper Shipping Name: Environmentally hazardous
substance, solid, n.o.s
Inhalation Packing Group I: No
Technical Name: Required

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

INDICATION OF DANGER: Xn-N

Harmful. Dangerous for the environment.

R-PHRASES: 22-36-50/53

Harmful if swallowed. Irritating to eyes. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-PHRASES: 26-60-61

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/safety data sheets.

COUNTRY SPECIFIC INFORMATION

Germany

WGK: 3

ID-Number: 3831

Classification according to appendix 3.

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2007 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.